

Printing date 03/31/2020 Version 12 Reviewed on 03/31/2020

1 Identification

· Product identifier

IonoPlus 3000 ET · Product name:

· Product code: A100497 · Former product code (till July 2012): 50014

· Relevant identified uses of the substance or mixture and uses

advised against

· Application of the substance / the

mixture Industrial use

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: oelheld GmbH

Ulmer Str. 133-139 70188 Stuttgart **GERMANY**

Tel.: +49-(0)711-16863-0 Fax.: +49-(0)711-16863-3500 E-Mail: hutec@oelheld.de Internet: www.oelheld.de oelheld U.S., Inc.

· Imported by: 1100 Wesemann Drive

West Dundee, Illinois (US) - 60118

Phone: +1-847-531-8501 Email: hutec-us@oelheld.com

FAX: +1-847-531-8511 www.oelheld.com

· Information department: Phone: +1-847-531-8501

· Emergency telephone number: In the event of a medical or chemical emergency contact ChemTel Inc.™

North America 1-800-255-3924 or Worldwide Intl. +1-813-248-0585

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

Flam. Liq. 4 H227 Combustible liquid.

· Label elements **GHS** label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms

GHS08

· Signal word Danger

· Hazard-determining components of

labeling:

Naphtha (petroleum), hydrotreated heavy

Alkanes, C12-14-Iso-

· Hazard statements H227 Combustible liquid.

H304 May be fatal if swallowed and enters airways.

· Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P280 Wear protective gloves.

P301+P310 If swallowed: Immediately call a poison center/doctor.

Do NOT induce vomiting. P331

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· Classification system:

NFPA ratings (scale 0 - 4)



Health = 1 Fire = 2 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

Health = 1

Fire = 2 Reactivity = 0

(Contd. on page 2)



Printing date 03/31/2020 Version 12 Reviewed on 03/31/2020

Product name: IonoPlus 3000 ET

(Contd. of page 1)

Other hazards The NFPA- and the HMIS-ratings range from 0 (least severe hazard) to 4 (most severe

hazard).

NFPA and HMIS are regulations in the USA. NFPA: National Fire Protection Association HMIS: Hazardous Material Identification System

Personal protective equipment (PPE) Codes: We recommend the following personal

protection:

HMIS Letter B - Required Equipment: Safety glasses, gloves

3 Composition/information on ingredients

· Chemical characterization: Mixtures

Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

68551-19-9 Alkanes, C12-14-Iso- Asp. Tox. 1, H304; Flam. Liq. 4, H227 25-50% 64742-48-9 Naphtha (petroleum), hydrotreated heavy Asp. Tox. 1, H304; Flam. Liq. 4, H227 25-50%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· After inhalation:

· Description of first aid measures

• General information: Remove any clothing soiled by the product.

In case of occuring of symptoms or in doubt consult a doctor. If a doctor is consulted show this material safety data sheet. Supply fresh air; consult doctor in case of complaints.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a

doctor.

After ingestion:

Do not induce vomiting; immediately call for medical help.

No further relevant information available.

Most important symptoms and effects, both acute and delayed

Indication of any immediate medical

attention and special treatment

neededNo further relevant information available.

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing media:

· For safety reasons unsuitable

extinguishing media:

· Special hazards arising from the

substance or mixture

g media: Water with full jet

In certain fire conditions, traces of other toxic gases cannot be excluded, e.g.: Carbon monoxide (CO)

Advice for firefighters

· Protective equipment: · Additional information

equipment: Wear self-contained respiratory protective device.
information Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official

CO2, extinguishing powder or water spray. Fight larger fire with alcohol resistant foam.

regulations.

6 Accidental release measures

 Personal precautions, protective equipment and emergency

procedures

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product. Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil

Keep contaminated washing water and dispose of appropriately.

· Methods and material for containment and cleaning up:

· Environmental precautions:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders,

sawdust).

Dispose contaminated material as waste according to section 13.

Remove from the water surface (e.g. skim or suck off).

• Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)



Printing date 03/31/2020 Version 12 Reviewed on 03/31/2020

Product name: IonoPlus 3000 ET

· Protective Action Criteria for Chemicals

(Contd. of page 2)

· DAC 1·

None of the ingredients is listed.

PAC-2:

None of the ingredients is listed.

· PAC-3:

None of the ingredients is listed.

7 Handling and storage

· Handling:

• Precautions for safe handling Ensure good ventilation/exhaust at the workplace.

Not required.

Open and handle receptacle with care.

Recommendation: Level of dielectric over the place of erosion min. 50 mm.

· Information about protection against

explosions and fires: Fumes can combine with air to form an explosive mixture above the flash point.

· Conditions for safe storage, including any incompatibilities

· Storage:

Requirements to be met by

storerooms and receptacles:

Store only in the original receptacle.

Information about storage in one

common storage facility:
Further information about storage

conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat, direct sunlight and UV-rays.

Storage stability under the described conditions at least 24 months.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design

of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

64742-48-9 Naphtha (petroleum), hydrotreated heavy

RCP-TWA (USA) Long-term value: 1200 mg/m³, 177 ppm

Vapor

· Exposure controls

Personal protective equipment:

General protective and hygienic

measures: The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

· Breathing equipment: Use suitable respiratory protective device in case of insufficient ventilation or in cases

where overexposures may occur.

Protection of hands: Protective gloves
Material of gloves Nitrile rubber, NBR

• Material of gloves Nitrile rubber, N
• Penetration time of glove material At a glove this

At a glove thickness of about 0,4 mm the value of the permeation breakthrough in

accordance with EN 374 is for chemically similar products according to the manufacturer:

>480 min. (Degradation EN 374 rating class 6)

These statements are based on laboratory test methods which could not simulate working conditions exactly. The responsibility rests with the end user for choosing the right gloves

for his application.

• Eye protection: Goggles recommended during refilling.

· Body protection: Protective work clothing

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

Appearance: Form:

Flu

Color: Fluorescent green

Odor: Mild

· Odor threshold: Not determined.

(Contd. on page 4)



Printing date 03/31/2020 Version 12 Reviewed on 03/31/2020

Product name: IonoPlus 3000 ET

(Contd. of page 3)

· **pH-value:** Not applicable.

· Change in condition

Boiling point/Boiling range: 185 °C (365 °F)
Pour point <-40 °C

Flash point: 63 °C (145.4 °F)
 Flammability (solid, gaseous): Not applicable.
 Ignition temperature: > 200 °C (> 392 °F)
 Decomposition temperature: Not determined.

· Danger of explosion: Product is not explosive. However formation of explosive air/vapour mixtures above the

flash point or in case of strong misting is possible.

· Explosion limits:

Lower: 0.6 Vol % **Upper:** 7 Vol %

· Vapor pressure: Not determined.

Density at 15 °C (59 °F): 0.77 g/cm³ (6.426 lbs/gal)

Relative density
Vapor density
Not determined
Not determined
Not determined
Not determined

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Kinematic at 40 °C (104 °F): 1.4 mm²/s

· Solvent content:

VOC (EC) ~ 100 %

VOC (California) 765 g/l / 6.38 lbs/gal

California EPA Rules: This product is exempted in South Coast Air Quality Management

District Rule 1144. Not determined.

Oxidising properties: Not determined.

• Other information No further relevant information available.

• Additional information The data of the explosion limits are based on the base oil.

10 Stability and reactivity

• **Reactivity** No further relevant information available.

· Chemical stability

Thermal decomposition / conditions

to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid See above

· Incompatible materials: Strong oxidizing agents

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

LD/LC50 values that are relevant for

classification: ATE mix

Oral: Acute toxicity estimate: > 2,000 mg/kg Dermal: Acute toxicity estimate: > 2,000 mg/kg

Inhalation: Acute toxicity estimate: for gases > 20,000 ppmV; for vapours > 20 mg/l; for

dust/mist > 5 mg/l

68551-19-	9 Alkanes,	C12-14-Iso-
Oral	LD50	>5,000 mg/kg (rat) (OECD 401 equivalent)
Dermal	LD50	>5,000 mg/kg (rabbit) (OECD 402 equivalent)
Inhalative	LC50 / 8h	>5,000 mg/m³ (rat) (OECD 403 equivalent)
64742-48-	9 Naphtha	(petroleum), hydrotreated heavy
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>5,000 mg/kg (rabbit) (OECD 402)
		(Contd. on n

(Contd. on page 5



Product name: IonoPlus 3000 ET

Inhalative LC50 / 8h >5,000 mg/m³ (rat) (OECD 403)

(Contd. of page 4)

Primary irritant effect:

on the skin: Repeated/long exposure may cause skin dryness and in consequence skin irritations.

on the eye:

Sensitization:

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

· Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

See also Section 15.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 STOT-single exposure
 STOT-repeated exposure
 Aspiration hazard
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 May be fatal if swallowed and enters airways.

12 Ecological information

· Toxicity

· Aquatic toxicity: No further relevant information available.

· Acute ecotoxicity:

68551-19-9 Alkanes, C12-14-Iso-

LL50 / 48h |>1,000 mg/l (Daphnia magna)

LL50 / 96h |>1,000 mg/l (fish) EL50 / 72h |>1,000 mg/l (Algae)

· Chronic ecotoxicity:

68551-19-9 Alkanes, C12-14-Iso-

NOELR / 21d | 1 mg/l (Daphnia magna)

NOELR / 28d | 0.103 mg/l (fish)

64742-48-9 Naphtha (petroleum), hydrotreated heavy

NOELR / 21d 1 mg/l (Daphnia magna)

· Persistence and degradability Not easily biodegradable

Behavior in environmental systems:

Bioaccumulative potential
 Mobility in soil
 No further relevant information available.
 No further relevant information available.

Ecotoxical effects:

· Behavior in sewage processing

plants: The product can be mechanically separated. **Other adverse effects** No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• **Recommendation:** Delivery of waste oil to officially authorized collectors only.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number

· DOT, ADR, ADN, IMDG, IATA Void

· UN proper shipping name

· DOT, ADN, IMDG, IATA Void
· ADR Void

(Contd. on page 6)



Printing date 03/31/2020 Version 12 Reviewed on 03/31/2020

Product name: IonoPlus 3000 ET

(Contd. of page 5)

· Transport hazard class(es)

· DOT, ADN, IMDG, IATA

Class Void

· ADR

· Class Void · Label Void

· Packing group

DOT, ADR, IMDG, IATA Void

· Environmental hazards:

· Marine pollutant: No

· Special precautions for user Not applicable.

Transport in bulk according to Annex II of MARPOL73/78

and the IBC Code

Transport/Additional information: Not dangerous according to the above specifications.

· DOT

· Remarks: DOT IDENTIFICATION: Not regulated in volumes of less than 119

Not applicable.

gallons.

Volumes greater than 119 gallons (≈ 450 liter):

Combustible Liquid, N.O.S. (NAME of the hazard-determining

components), NA 1993, PG III

and must have a worded "COMBUSTIBLE" or numeric "1993" placard

on two opposing sides of the unit.

· ADR

· Excepted quantities (EQ): Void Limited quantities (LQ) Void · Transport category Void · Tunnel restriction code Void

· Limited quantities (LQ) Void Excepted quantities (EQ) Void

· IATA

Void. · Remarks: · UN "Model Regulation": Void

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- **Proposition 65**
- Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

See section 8 for information.

(Contd. on page 7)



Printing date 03/31/2020 Version 12 Reviewed on 03/31/2020

Product name: IonoPlus 3000 ET

(Contd. of page 6)

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety &

Health Administration) None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

General revision.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Reasons for alterations

H227 Combustible liquid.

· Relevant phrases

H304 May be fatal if swallowed and enters airways.

· Department issuing SDS:

Department of Research & Development

· Date of preparation / last revision

03/31/2020 / 11

Abbreviations and acronyms:

EC: European Community
CAS: Chemical Abstracts Service (division of the American Chemical Society)

ACGIH: American Conference of Governmental Industrial Hygienists OEL: Occupational Exposure Limit

PNOS: Particles Not Otherwise Specified STEL: Short Time Exposure Limit

TLV: Threshold Limit Value
TWA: Time Weighted Average concentration WEEL: Workplace Environmental Exposure Level TLV: Threshold limit value

TWA: Time Weighted Average concentration STEL: Short Time Exposure Limit IOELV: Indicative Occupational Exposure Limit Value

OSHA: Occupational Safety & Health Administration of the U.S. Departement of Labor ACGIH: American Conference of Governmental Industrial Hygienists

EC50: ecotoxic concentration, 50 percent NOEC: no observed effect concentrations NOELR: No observed effect loading rate

OECD: the Organisation for Economic Co-operation and Development [coordinates the OECD guidelines for the

toxicological testing of chemicals]

ATE: acute toxicity estimate
NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

VOC: Volatile Organic Compounds (USA, EC)
ADR: Accord européen sur le transport des marchandises Dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association Flam. Liq. 4: Flammable liquids – Category 4 Asp. Tox. 1: Aspiration hazard – Category 1

· * Data compared to the previous

version altered.